

VERIFICATION OF COMPLIANCE

No.: LVD GZES2005018609HS

Applicant: Beijing Holtop Air Conditioning Co., Ltd
Building 1-7, 5 Yard, 7th Guanggu Street, Kangzhuang,
Yangqing, Beijing, China

Manufacturer: Same as applicant

Product Name: Energy Recovery Ventilator

Product Description: Air Cleaner

Model No.: Additional Information on page 2

Trade Mark: --

Rating: 220 V -240 V; 50 Hz;

Protection against Electric Shock: Class I

Degree of Protection: IPX2

Additional Information: --

Sufficient samples of the product have been tested and found to be in conformity with

Test Standard: EN 60335-1:2012 + A11:2014 + A13:2017 + A1:2019
+ A14:2019 + A2:2019
EN 60335-2-65:2003 + A1:2008+ A11:2012
EN 62233:2008

as shown in the

Test Report Number(s): GZES200501860901

This Verification of Compliance has been granted to the applicant based on the results of tests, performed by Laboratory of SGS-CSTC Standards Technical Services Co., Ltd. on sample of the above-mentioned product in accordance with the provisions of the relevant harmonized standards under the Low Voltage Directive 2014/35/EU. The CE marking as shown below can be affixed, under the responsibility of the manufacturer, after completion of an EC Declaration of Conformity and compliance with all relevant EC Directives. The affixing of the CE marking presumes in addition that the conditions in annexes III and IV of the Directive are fulfilled.


David Guo
Senior Technical Manager
SGS-CSTC




2020-07-31

Copyright of this verification is owned by SGS-CSTC Standards Technical Services Co., Ltd. and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is subjected to the governance of the General Conditions of Services, printed overleaf.

Member of SGS Group (Société Générale de Surveillance)

No.:

LVD GZES2005018609HS

Other information added:

Rating:

Model name	Motor model	Motor number	Rated power input
ERVQ-D150-2A1, ERVQ-D150-2A1B, ERVQ-D150-2B1B, ERVQ-D150-2A2B, ERVQ-D150-2B2B	YDK25-4N1 (supply fan), YDK25-4N (exhaust fan)	2	102 W
ERVQ-D250-2A1, ERVQ-D250-2A1B, ERVQ-D250-2B1B, ERVQ-D250-2A2B, ERVQ-D250-2B2B	YDK40-4J (supply fan), YDK40-4J1 (exhaust fan)	2	150 W
ERVQ-D350-2A1, ERVQ-D350-2A1B, ERVQ-D350-2B1B, ERVQ-D350-2A2B, ERVQ-D350-2B2B	YDK60-4F1 (supply fan), YDK60-4F (exhaust fan)	2	233 W
XHBQ-D2THC, XHBQ-D1.5TFB	YDK10-4D	2	105 W
XHBQ-D3THC, XHBQ-D2.5TFB	YDK20-4A1 (YDK20-4A02)	2	117 W
XHBQ-D4THC, XHBQ-D3.5TFB	YDK40-4K (YDK40-4C01)	2	150 W
XHBQ-D6THC, XHBQ-D5TFB, ERVQ-D600-2B2B, ERVQ-D500-2D2B,	YDK60-4K	2	200 W
XHBQ-D8THC, XHBQ-D6.5TFB, ERVQ-D800-2B2B, ERVQ-D650-2D2B,	YDK180-4F1	2	420 W
XHBQ-D10THC, XHBQ-D8TFB, ERVQ-D10H-2B2B, ERVQ-D800-2D2B,	YDK180-4F	2	450 W
XHBQ-D13THC,	YDK200-4F09	2	680 W

XHBQ-D10TFB, XHBQ-D13TFB, ERVQ-D13H-2B2B, ERVQ-D10H-2D2B, ERVQ-D13H-2D2B			
XHBQ-D15THC, XHBQ-D15TFB ERVQ-D15H-2D2B,	YDK180-4F1	4	840 W
XHBQ-D20THC, XHBQ-D20TFB, ERVQ-D20H-2D2B,	YDK180-4F	4	900 W
XHBQ-D2PMTHC, XHBQ-D1.5PMTFB	YDK10-4D	2	95 W
XHBQ-D3PMTHC, XHBQ-D2.5PMTFB	YDK20-4A1(YDK20-4A02)	2	110 W
XHBQ-D4PMTHC, XHBQ-D3.5PMTFB	YDK40-4K(YDK40-4C01)	2	145 W
XHBQ-D6PMTHC, XHBQ-D5PMTFB ERVQ-D600-2A2B, ERVQ-D500-2C2B	YDK60-4K	2	195 W
XHBQ-D8PMTHC, XHBQ-D6.5PMTFB ERVQ-D800-2A2B, ERVQ-D650-2C2B,	YDK180-4F1	2	420 W
XHBQ-D10PMTHC, XHBQ-D8PMTFB ERVQ-D10H-2A2B, ERVQ-D800-2C2B,	YDK180-4F	2	450 W
XHBQ-D13PMTHC, XHBQ-D10PMTFB, XHBQ-D13PMTFB, ERVQ-D10H-2C2B, ERVQ-D13H-2A2B, ERVQ-D13H-2C2B	YDK200-4F09	2	680 W
XHBQ-D15PMTHC, XHBQ-D15PMTFB ERVQ-D15H-2C2B,	YDK180-4F1	4	840 W
XHBQ-D20PMTHC, XHBQ-D20PMTFB	YDK180-4F	4	900 W

ERVQ-D20H-2C2B,			
ERVQ-D150-2A1A, ERVQ-D150-2B1A, ERVQ-D150-2A2A, ERVQ-D150-2B2A	YDK25-4N1(supply fan), YDK25-4N (exhaust fan)	2	102 W
ERVQ-D250-2A1A, ERVQ-D250-2B1A, ERVQ-D250-2A2A, ERVQ-D250-2B2A,	YDK40-4J (supply fan), YDK40-4J1(exhaust fan)	2	150 W
ERVQ-D350-2A1A, ERVQ-D350-2B1A, ERVQ-D350-2A2A, ERVQ-D350-2B2A,	YDK60-4F1 (supply fan), YDK60-4F (exhaust fan)	2	233 W
ERVQ-D600-2A2A, ERVQ-D500-2C2A, ERVQ-D600-2B2A, ERVQ-D500-2D2A	YDK60-4K	2	200 W
ERVQ-D800-2A2A, ERVQ-D650-2C2A, ERVQ-D800-2B2A, ERVQ-D650-2D2A	YDK180-4F1	2	420 W
ERVQ-D10H-2A2A, ERVQ-D800-2C2A, ERVQ-D10H-2B2A, ERVQ-D800-2D2A	YDK180-4F	2	450 W
ERVQ-D13H-2A2A, ERVQ-D10H-2C2A, ERVQ-D13H-2C2A, ERVQ-D13H-2B2A, ERVQ-D10H-2D2A ERVQ-D13H-2D2A	YDK200-4F09	2	680 W
ERVQ-D15H-2C2A, ERVQ-D15H-2D2A	YDK180-4F1	4	840 W
ERVQ-D20H-2C2A, ERVQ-D20H-2D2A	YDK180-4F	4	900 W
XHBQ-D2THA, XHBQ-D1.5TFA	YDK10-4D	2	105 W
XHBQ-D3THA, XHBQ-D2.5TFA	YDK20-4A1(YDK20-4A02)	2	117 W
XHBQ-D4THA,	YDK40-4K(YDK40-4C01)	2	150 W

XHBQ-D3.5TFA			
XHBQ-D6THA, XHBQ-D5TFA	YDK60-4K	2	200 W
XHBQ-D8THA, XHBQ-D6.5TFA	YDK180-4F1	2	355 W
XHBQ-D10THA	YDK180-4F	2	440 W
XHBQ-D8TZA, XHBQ-D8TFA	YDK200-4F09	2	585 W
XHBQ-D10TZA, XHBQ-D10TFA	YDK200-4F09	2	680 W
XHBQ-D13THA	YDK200-4F09	2	680 W
XHBQ-D2PMTHA	YDK10-4D	2	95 W
XHBQ-D3PMTHA	YDK20-4A1 (YDK20-4A02)	2	110 W
XHBQ-D4PMTHA	YDK40-4K (YDK40-4C01)	2	145 W
XHBQ-D6PMTHA	YDK60-4K	2	195 W
XHBQ-D8PMTHA	YDK180-4F1	2	355 W
XHBQ-D10PMTHA	YDK180-4F	2	440 W
XHBQ-D13PMTHA	YDK200-4F09	2	710 W


 David Guo
 Senior Technical Manager
 SGS-CSTC



2020-07-31

Copyright of this verification is owned by SGS-CSTC Standards Technical Services Co., Ltd. and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is subjected to the governance of the General Conditions of Services, printed overleaf.

Member of SGS Group (Société Générale de Surveillance)