

## JME220HC

Ambient Temp. (°C) (Dry Bulb temp.)	-25	-20	-15	-7	2	7	15	20	35
Heating Capacity (W) (Outlet Water Temp. 55°C)	7014	10412	11357	14116	17519	19068	21104	22840	26060
Heating Capacity (W) (Outlet Water Temp. 41°C)	7240	10640	11660	14740	17985	19487	21853	23078	27562
Heating Capacity (W) (Outlet Water Temp. 35°C)	7657	10850	11896	15178	18400	20181	22051	23767	28214
Power Input (W) (Outlet Water Temp. 55°C)	4257	5467	5638	5819	5936	6127	6251	5732	5608
Power Input (W) (Outlet Water Temp. 41°C)	4000	5100	5204	5538	5671	5712	5846	5085	4896
Power Input (W) (Outlet Water Temp. 35°C)	3934	4727	4934	5172	5355	5422	5548	4666	4779
COP (Outlet Water Temp. 55°C)	1,65	1,90	2,01	2,43	2,95	3,11	3,38	3,98	4,65
COP (Outlet Water Temp. 41°C)	1,81	2,09	2,24	2,66	3,17	3,41	3,74	4,54	5,63
COP (Outlet Water Temp. 35°C)	1,95	2,30	2,41	2,93	3,44	3,72	3,97	5,09	5,90
Water production(kg/h) (Water Temp. 15°C to 55°C)	150,77	223,82	244,13	303,44	376,59	409,89	453,65	490,97	560,19

