

JME95HC

Ambient Temp. (°C) (Dry Bulb temp.)	-25	-20	-15	-7	2	7	15	20	25	35	43
Heating Capacity (W) (Outlet Water Temp. 55°C)	4181	4682	5362	6961	9119	10369	9636	7019	11894	8358	14405
Heating Capacity (W) (Outlet Water Temp. 41°C)	3565	4328	5037	5945	9599	11152	10729	11784	12762	13631	14448
Heating Capacity (W) (Outlet Water Temp. 35°C)	4672	4352	6066	7653	8268	10936	10779	11908	12590	13309	13801
Power Input (W) (Outlet Water Temp. 55°C)	2682	2789	2852	3072	3423	3423	2868	2173	2905	2206	2938
Power Input (W) (Outlet Water Temp. 41°C)	2276	1885	1963	2106	2791	2791	2248	2251	2256	2268	2280
Power Input (W) (Outlet Water Temp. 35°C)	2184	1753	2310	2406	2057	2585	1971	1979	1997	2015	2021
COP (Outlet Water Temp. 55°C)	1,56	1,68	1,88	2,27	3,03	3,03	3,36	3,23	4,09	3,78	4,90
COP (Outlet Water Temp. 41°C)	1,57	2,30	2,57	2,82	4	4,00	4,77	5,24	5,66	6,01	6,34
COP (Outlet Water Temp. 35°C)	2,14	2,48	2,63	3,18	4,01	4,23	5,47	6,02	6,03	6,60	6,83
Water production(kg/h) (Water Temp. 15°C to 55°C)	89,88	100,64	115,26	149,63	196,02	222,89	207,14	228,93	255,67	281,23	309,65

